



# HORIZONT

XINFO – Scanner z/OS – DB2

# What is this presentation about?

This PowerPoint gives you a short overview about XINFO Scanner for DB2 and how to use it.

At some slides this button can be used to jump to specific slides in this presentation.

e.g. jump to Agenda

Click on this symbol to jump to the overview slide

# AGENDA

XINFO – Scanner z/OS – DB2

## DB2 - You like to know about ...

SYSPLAN

SYSPLANDEP

SYSDBRM

SYSPACKLIST

SYSPACKAGE

SYSPACKDEP

SYSDATABASE

SYSTABLESPACE

SYSCOLUMNNS

SYSINDEXES

SYSKEYS

SYSFOREIGNKEYS

SYSRELS

SYSSTOGROUPS

View/Table relation

Job/Pgm/Table relation

Jpb/Pgm/Plan relation

# XINFO and DB2

The DB2-Interface gives you information about DB2 access

- Jobname / Tablename
- Program / Planname
- Planname / Tablename
- View/Table relations
- Catalog Tables
  - SYSPLAN
  - SYSPLANDEP
  - SYSDBRM
  - SYSPACKLIST
  - SYSPACKAGE
  - SYSPACKDEP
  - SYSDATABASE
  - SYSTABLESPACE
  - ...

# DB2 - Displays

The screenshot shows the XINFO PC Client interface. The 'Workspace tree' on the left is highlighted with a red box, showing a list of DB2 system tables under the 'DB2' folder. A callout box points to this list with the text 'Copies of DB2 system tables for DB2 Admins'. The main window displays a toolbar with various options like 'Copy', 'Select All', 'Toggle Selection', 'Edit', 'Customize', 'Table Layout', 'Group', 'Statistics', 'Table Functions', 'Show SQL', 'Inverse Filter', 'Tools', 'New', 'Library', and 'Explorer'. The status bar at the bottom indicates 'Connected as: P392F, file: XX40T#25'.

Workspace tree

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST
  - Cat: SYSPACKAGE
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS
  - Cat: SYSINDEXES
  - Cat: SYSKEYS
  - Cat: SYSFORIGNKEYS
  - Cat: SYSRELS
  - Cat: SYSSTOGROUP
  - Cat: SYSTABAUTH
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

Copies of DB2 system tables for DB2 Admins

Connected as: P392F, file: XX40T#25

# DB2 - Displays

The screenshot displays the XINFO PC Client interface. The top menu bar includes File, Home, Table, Netplan, Barchart, Chart, Script, and View. The ribbon below contains various tool groups: Edit (Copy, Select All, Toggle Selection), Table Layout (Customize, Use Default, Use Custom), Table Functions (Group, Statistics, All), Tools (Show SQL, Inverse Filter), and Chart (New, Library, Explorer). On the left, the 'Workspace Tree' pane lists system catalog categories such as Cat: SYSDATABASE, Cat: SYSTABLESPACE, Cat: SYSTABLES, Cat: SYSCOLUMNS, Cat: SYSINDEXES, Cat: SYSKEYS, Cat: SYSFOREIGNKEYS, Cat: SYSRELS, Cat: SYSSTOGROUP, Cat: SYSTABAUTH, Cat: SYSTABLEPART, Cat: SYSINDEXPART, Cat: SYSVIEWDEP, Cat: SYSSEQUENCES, and Cat: SYSTRIGGERS. A red box highlights the 'View/Table', 'Job/Pgm/Table', and 'Job/Pgm/Plan' entries. A callout box points to these entries with the text: 'Views, jobs, tables, programs and plans for Production Planers'. The status bar at the bottom indicates the user is connected as P392F, file: XX40T#25.

Views, jobs, tables,  
programs and plans for  
Production Planers

To copy Catalog Tables has following advantages:

- Several DB2 subsystems can be copied into one database
  - Allows queries over multiple systems
- Performance
  - Complicate queries do not block the subsystem


# XINFO for Production Planers

The relation between views/tables, plans, programs and JCL has following advantages:

- Which DB2 resources are needed by which jobs / programs
  - Read
  - Update



# DB2 - SYSPLAN Selection



Select Cat: SYSPLAN

# DB2 - SYSPLAN Results

XINFO PC Client - DB2 - Cat: SYSPLAN

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSPLAN

Subs	Plan	Qualif.	PLEnt	I	E	BoundBy	BoundTS	Location
<all>	<all>	<all>	<a...			<all>	<all>	<all>
DBBG	DSN8CP11	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	DSNACLI	IBMUSER	7 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	DSQIN11	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	QMF11	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADB	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADB2GEN	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADB27AC	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADB2CID	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADBTEP2	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADB2RIP	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADB2WCL	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADB27SPC	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADBCDCH	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	DSN8UWB1	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	ADBUPGRD	IBMUSER	1 S	N	IBMUSER	12.09.2014,12:18:59	DALLASB	
DBBG	XXRDLG36	XINFO36	5 U	N	IBMUSER	01.12.2014,19:17:57	DALLASB	
DBBG	XXRUPD36	XINFO36	5 S	N	IBMUSER	01.12.2014,19:17:57	DALLASB	
DBBG	XXRCPT36	SYSIBM	1 U	N	IBMUSER	03.12.2014,17:20:43	DALLASB	
DBBG	XXRCPT37	SYSIBM	1 U	N	IBMUSER	27.02.2015,20:39:49	DALLASB	
DBBG	XXRDLG37	XXR37	5 U	N	IBMUSER	30.01.2015,16:25:48	DALLASB	
DBBG	XXRUPD37	XXR37	5 S	N	IBMUSER	30.01.2015,16:25:48	DALLASB	
DBBG	XXRCPT40	SYSIBM	1 U	N	MICHEL	12.04.2017,13:56:04	DALLASB	
DBBG	XXRDLG40	XXR40	5 U	N	MICHEL	12.04.2017,13:58:11	DALLASB	
DBBG	XXRUPD40	XXR40	5 S	N	MICHEL	12.04.2017,13:58:11	DALLASB	

Workspace Tree

Views, jobs, tables, programs and plans for Production Planers

Connected as: P392F, file: XX40T#25

Lines: 54

# DB2 - SYSPLAN Results

The screenshot displays the IBM DB2 SYSPLAN interface. On the left, a 'Workspace Tree' shows a list of plans under the 'DB2 - Cat: SYSPLAN' category. The 'DBBG XXRDLG36 XINFO36' record is selected. A 'Details' window is open, showing the following information:

Name	Value
Subsystem	DBBG
Plan	XXRDLG36
Qualifier	XINFO36
PackList-Entries	5
Isolation Level	U
Explain Y/N	N
BoundBy	IBMUER
BoundTS	01.12.2014,19:17:57
Location	DALLASB

A callout box with a blue background and white text points to the selected record in the list, stating: "Double click on a record to view the details".

At the bottom of the interface, there are buttons for 'OK', 'Copy', 'Print...', and 'Save As...'. The status bar at the bottom right indicates 'Lines: 54'.

# DB2 - SYSPLANDEP Selection

The screenshot displays the XINFO PC Client interface. The 'Workspace Tree' on the left side shows a hierarchy of folders: Scheduler, JCL, and DB2. Under the DB2 folder, a list of system catalog categories is shown, with 'Cat: SYSPLANDEP' highlighted in yellow. A callout box with a pointer indicates this selection. The main workspace area is currently empty. The status bar at the bottom indicates the connection details: 'Connected as: P392F, file: XX40T#25'.

**Select Cat: SYSPLANDEP**

# DB2 - SYSPLANDEP Results

XINFO PC Client - DB2 - Cat: SYSPLANDEP

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSPLANDEP

Subs	Plan	Creator	Object	Type
<all>	<all>	<all>	<all>	<...>
DB9G	DSN8CP0	DSN8910	DEPT	T
DB9G	DSN8CQ0	DSN8910	DEPT	T
DB9G	DSN8SC91	DSN8910	DEPT	T
DB9G	DSN8SP91	DSN8910	DEPT	T
DB9G	DSN8BD91	DSN8910	EMP	T
DB9G	DSN8BE91	DSN8910	EMP	T
DB9G	DSN8BH91	DSN8910	EMP	T
DB9G	DSN8BP91	DSN8910	EMP	T
DB9G	DSN8CH0	DSN8910	EMP	T
DB9G	DSN8CP0	DSN8910	EMP	T
DB9G	DSN8CQ0	DSN8910	EMP	T
DB9G	DSN8SC91	DSN8910	EMP	T
DB9G	DSN8SP91	DSN8910	EMP	T
DB9G	DSN8CQ0	DSN8910	EMPPROJACT	T
DB9G	DSN8CQ0	DSN8910	PROJ	T
DB9G	DSN8CQ0	DSN8910	PROJACT	T
DB9G	DSN8CP0	DSN8910	TCONA	T
DB9G	DSN8CQ0	DSN8910	TCONA	T
DB9G	DSN8CP0	DSN8910	TDSPTXT	T
DB9G	DSN8CQ0	DSN8910	TDSPTXT	T
DB9G	DSN8CP0	DSN8910	TOPTVAL	T
DB9G	DSN8CQ0	DSN8910	TOPTVAL	T
DB9G	DSN8CQ0	DSN8910	VACT	V
DB9G	DSN8CP0	DSN8910	VASTRDE1	V
DB9G	DSN8CP0	DSN8910	VASTRDE2	V

Double click on the record to view the details

Connected as: P392F, file: XX40T#14 Lines: 187

# DB2 - SYSPLANDEP Results

**DB2 - Cat: SYSPLANDEP**

Subs	Plan	Creator
<all>	<all>	<all>
DB9G	DSN8CP0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8SC91	DSN8910
DB9G	DSN8SP91	DSN8910
DB9G	DSN8BD91	DSN8910
DB9G	DSN8BE91	DSN8910
DB9G	DSN8BH91	DSN8910
DB9G	DSN8BP91	DSN8910
DB9G	DSN8CH0	DSN8910
DB9G	DSN8CP0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8SC91	DSN8910
DB9G	DSN8SP91	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8CP0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8CP0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8CP0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8CQ0	DSN8910
DB9G	DSN8CP0	DSN8910
DB9G	DSN8CP0	DSN8910

**Details**


Name	Value
Subsystem	DB9G
Plan	DSN8SC91
Creator/Database	DSN8910
Dependent Object	DEPT
Object Type	T

Connected as: P392F, file: XX40T#14

OK Copy Print... Save As...

Lines: 187

# DB2 - SYSDBRM Selection



# DB2 - SYSPLANDBRM Results

XINFO PC Client - DB2 - Cat: SYSDBRM

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSDBRM

Subs	Plan	PCreator	DBRM	Q	C	Lang
<all>	<all>	<all>	<all>			<...>
DB9G	DEMOP20	P390M	PL1PGM9	N	N	P
DB9G	DSN8BD91	P390M	DSN8BD3	N	N	D
DB9G	DSN8BE91	P390M	DSN8BE3	N	N	4
DB9G	DSN8BH91	P390M	DSN8BC3	N	N	3
DB9G	DSN8BP91	P390M	DSN8BP3	N	N	P
DB9G	DSN8CH0	P390M	DSN8CP3	N	N	P
DB9G	DSN8CP0	P390M	DSN8CP0	N	N	P
DB9G	DSN8CP0	P390M	DSN8CP1	N	N	P
DB9G	DSN8CP0	P390M	DSN8CP2	N	N	P
DB9G	DSN8CQ0	P390M	DSN8CP6	N	N	P
DB9G	DSN8CQ0	P390M	DSN8CP7	N	N	P
DB9G	DSN8CQ0	P390M	DSN8CP8	N	N	P
DB9G	DSN8SC91	P390M	DSN8SC3	N	N	3
DB9G	DSN8SP91	P390M	DSN8SP3	N	N	P
DB9G	DSNTIA91	P390M	DSNTIAD	N	N	B
DB9G	DSNTIAD	P390M	DSNTIAD	N	N	B
DB9G	DSNTIB91	P390M	DSNTIAUL	N	N	B
DB9G	PL1PGM7	P390M	PL1PGM7	N	N	P
DB9G	PL1PGM8	P390M	PL1PGM8	N	N	P
DB9G	PL1PGMA	P390M	PL1PGMA	N	N	P
DB9G	PL1PGME	P390M	PL1PGME	N	N	P
DB9G	PL1PGMG	P390M	PL1PGMG	N	N	P
DB9G	PL1PGMG2	P390M	PL1PGMG	N	N	P
DB9G	PL1PGMG3	P390M	PL1PGMG	N	N	P

Connected as: P392F, file: XX40T#14

Lines: 26



# DB2 - SYSPLANDBRM Results

The screenshot displays the IBM DB2 SYSPLANDBRM interface. On the left, a 'Workspace Tree' shows a list of plans under the category 'DB2 - Cat: SYSDBRM'. The selected plan is 'DB9G DSN8BE91 P390M'. The main window shows the details for this plan, including its subsystem, plan name, creator, and various attributes like DBRM, Quote, Comma, and HostLanguage.

Name	Value
Subsystem	DB9G
Plan	DSN8BE91
Plan-Creator	P390M
DBRM	DSN8BE3
Quote	N
Comma	N
HostLanguage	4

Connected as: P392F, file: XX40T#14

Buttons: OK, Copy, Print..., Save As...

Lines: 26

# DB2 - SYSPACKLIST Selection

The screenshot displays the XINFO PC Client interface. The 'Workspace Tree' on the left lists various system catalogs under the 'DB2' folder. The catalog 'Cat: SYSPACKLIST' is highlighted with a yellow border. A dark blue callout box with white text points to this selection, containing the instruction 'Select Cat: SYSPACKLIST'. The main window title is 'XINFO PC Client' and the status bar at the bottom indicates 'Connected as: P392F, file: XX40T#25'.

File Home Table Netplan Barchart Chart Script View

Copy Select All Toggle Selection Edit Customize Use Default Use Custom Table Layout Group Statistics All Table Functions Show SQL Inverse Filter Tools New Library Explorer Chart

Workspace Tree

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST**
  - Cat: SYSPACKAGE
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS
  - Cat: SYSINDEXES
  - Cat: SYSKEYS
  - Cat: SYSFORIGNKEYS
  - Cat: SYSRELS
  - Cat: SYSTOGROUP
  - Cat: SYSTABAUTH
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

Select Cat: SYSPACKLIST

Work... Work... Favo... Short...

Connected as: P392F, file: XX40T#25

# DB2 - SYSPACKLIST Results

XINFO PC Client - DB2 - Cat: SYSPACKLIST

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSPACKLIST

Subs	Plan	CollID	Package	TimeStamp	Location
<all>	<all>	<all>	<all>	<all>	<all>
DBBG	XXRDLG40	COLXXR40	XXRI05	12.04.2017,13:58:11	
DBBG	XXRCPT37	COLXXR37	XXRICPTS	27.02.2015,20:39:49	
DBBG	ADBTPEP2	ADBL	*	12.09.2014,12:18:59	*
DBBG	ADB2WCL	ADBL	*	12.09.2014,12:18:59	*
DBBG	ADB2RIP	ADBL	*	12.09.2014,12:18:59	*
DBBG	ADB2GEN	ADBL	*	12.09.2014,12:18:59	*
DBBG	ADB2CID	ADBL	*	12.09.2014,12:18:59	*
DBBG	ADB	ADBL	*	12.09.2014,12:18:59	*
DBBG	ADB27AC	ADBL	*	12.09.2014,12:18:59	*
DBBG	ADBUPGRD	ADBL	*	12.09.2014,12:18:59	*
DBBG	DSNEDCL	DSNTIAP	DSNTIAP	12.09.2014,12:18:59	*
DBBG	DSNESPUR	DSNTIAP	DSNTIAP	12.09.2014,12:18:59	*
DBBG	DSNTIB11	DSNTIB11	*	12.09.2014,12:18:59	*
DBBG	DSQIN11	Q	*	12.09.2014,12:18:59	*
DBBG	QMF11	Q	*	12.09.2014,12:18:59	*
DBBG	XXRUPD40	COLXXR40	XXRI08	12.04.2017,13:58:11	
DBBG	XXRDLG37	COLXXR37	XXRI04	30.01.2015,16:25:48	
DBBG	XXRDLG37	COLXXR37	XXRI05	30.01.2015,16:25:48	
DBBG	XXRDLG37	COLXXR37	XXRI07	30.01.2015,16:25:48	
DBBG	XXRDLG37	COLXXR37	XXRI08	30.01.2015,16:25:48	
DBBG	XXRDLG37	COLXXR37	XXRI15	30.01.2015,16:25:48	
DBBG	XXRUPD37	COLXXR37	XXRI08	30.01.2015,16:25:48	
DBBG	XXRUPD37	COLXXR37	XXRI09	30.01.2015,16:25:48	
DBBG	XXRUPD37	COLXXR37	XXRI10	30.01.2015,16:25:48	
DBBG	XXRUPD37	COLXXR37	XXRI15	30.01.2015,16:25:48	

Connected as: P392F, file: XX40T#25

Lines: 90

# DB2 - SYSPACKLIST Results

The screenshot displays the DB2 SYSPACKLIST results in a software interface. On the left, a 'Workspace Tree' shows a list of packages under the category 'DB2 - Cat: SYSPACKLIST'. The selected package is 'DBBG XXRCPT37 COLXXR37'. The main window shows the details for this package.

Name	Value
Subsystem	DBBG
Plan	XXRCPT37
CollID	COLXXR37
Package	XXRICPTS
TimeStamp	27.02.2015,20:39:49
Location	

At the bottom of the interface, there are buttons for 'OK', 'Copy', 'Print...', and 'Save As...'. The status bar at the bottom right indicates 'Lines: 90'.

# DB2 - SYSPACKAGE Selection

The screenshot displays the XINFO PC Client interface. The 'Workspace Tree' on the left lists various database categories under the 'DB2' folder. The category 'Cat: SYSPACKAGE' is highlighted with a yellow border. A dark blue callout box with white text points to this selection, containing the instruction 'Select Cat: SYSPACKAGE'. The main window area is currently empty. The status bar at the bottom indicates the connection details: 'Connected as: P392F, file: XX40T#25'.

Workspace Tree

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST
  - Cat: SYSPACKAGE**
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS
  - Cat: SYSINDEXES
  - Cat: SYSKEYS
  - Cat: SYSFORIGNKEYS
  - Cat: SYSRELS
  - Cat: SYSTOGROUP
  - Cat: SYSTABAUTH
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

Select Cat: SYSPACKAGE

Connected as: P392F, file: XX40T#25

# DB2 - SYSPACKAGE Results

XINFO PC Client - DB2 - Cat: SYSPACKAGE

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSPACKAGE

Subs	Package	CollID	Qualif.	BindTime	ConToken	Val	Q	C	Lang	Version
<all>	<all>	<all>	<all>	<all>	<all>				<...>	<all>
DBBG	DSNTIAD	DSNTIA11	IBMUSER	12.09.2014,12:18:51	1987D1370B6F75BF	Y	N	N	B	2013-11-10-20.18.52.211670
DBBG	DSNREXX	DSNREXX	IBMUSER	12.09.2014,12:18:51	0E5F1F1D09F14040	Y	N	N	B	V11R1
DBBG	DSNREXX	DSNREXUR	IBMUSER	12.09.2014,12:18:51	0E5F1F1D09F14040	Y	N	N	B	V11R1
DBBG	DSNREXX	DSNREXCS	IBMUSER	12.09.2014,12:18:50	0E5F1F1D09F14040	Y	N	N	B	V11R1
DBBG	DSNREXX	DSNREXRS	IBMUSER	12.09.2014,12:18:51	0E5F1F1D09F14040	Y	N	N	B	V11R1
DBBG	DSNREXX	DSNREXRR	IBMUSER	12.09.2014,12:18:50	0E5F1F1D09F14040	Y	N	N	B	V11R1
DBBG	CONNECTI	DSNIBMTS	IBMUSER	11.11.2013,10:36:38	1987F33D0FBD157F	Y	N	N		
DBBG	DSNADMSB	DSNADM	IBMUSER	12.09.2014,12:18:34	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNADMSS	DSNADM	IBMUSER	12.09.2014,12:18:34	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNADMTH	DSNADM	IBMUSER	12.09.2014,12:18:34	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNADMTL	DSNADM	IBMUSER	12.09.2014,12:18:34	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNADMTO	DSNADM	IBMUSER	12.09.2014,12:18:34	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNESM68	DSNESPUR	IBMUSER	12.09.2014,12:18:50	0E4D2F9F02F2F0F0	Y	N	N	B	UK92200
DBBG	DSNADMHO	DSNADM	IBMUSER	12.09.2014,12:18:33	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNTIAP	DSNTIAP	IBMUSER	12.09.2014,12:18:51	0E4D2F9F02F2F0F0	Y	N	N	B	UK92200
DBBG	ADB2GET	ADBL	SYSIBM	12.09.2014,12:17:58	197B827C13F39A02	Y	N	N	P	V11.1.0.0000000
DBBG	DSNECP68	DSNEDCL	IBMUSER	12.09.2014,12:18:50	0E5F1F1D09F14040	Y	N	N	B	V11R1
DBBG	DSNUGSQL	DSNUTIL	IBMUSER	12.09.2014,12:18:51	0E5F1F1D09F14040	Y	N	N	B	V11R1
DBBG	DSNUGSQL	DSNUT111	IBMUSER	12.09.2014,12:18:51	0E5F1F1D09F14040	Y	N	N	B	V11R1
DBBG	DSNTXAZP	DSNTXAZP	IBMUSER	12.09.2014,12:18:51	0E5F1F1D09F1D4F0	Y	N	N	D	V11R1M0
DBBG	DSNX9LDJ	DSNJAR	IBMUSER	12.09.2014,12:18:50	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNADMCM	DSNADM	IBMUSER	12.09.2014,12:18:33	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNADMGW	DSNADM	IBMUSER	12.09.2014,12:18:33	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNADMHS	DSNADM	IBMUSER	12.09.2014,12:18:33	0E5F1F1D09F14040	Y	N	N	D	V11R1
DBBG	DSNADMHI	DSNADM	IBMUSER	12.09.2014,12:18:34	0E5F1F1D09F14040	Y	N	N	D	V11R1

Connected as: P392F, file: XX40T#25


Lines: 433

# DB2 - SYSPACKAGE Results

The screenshot displays the IBM Data Studio interface. On the left, the 'Workspace Tree' shows a list of packages under the 'DB2 - Cat: SYSPACKAGE' category. The package 'DSNADMSB' is selected. The main window shows the 'Details' view for this package, listing various attributes and their values. The 'Details' window has a title bar with standard window controls and a 'Style' dropdown menu. At the bottom of the 'Details' window, there are buttons for 'OK', 'Copy', 'Print...', and 'Save As...'. The status bar at the bottom right of the 'Details' window indicates 'Lines: 433'. The bottom of the main application window shows the connection information: 'Connected as: P392F, file: XX40T#25'.

Name	Value
Subsystem	DBBG
Package	DSNADMSB
CollID	DSNADM
Qualifier	IBMUUSER
BindTime	12.09.2014,12:18:34
ConToken	0E5F1F1D09F14040
Valid	Y
Quote	N
Comma	N
HostLanguage	D
Version	V11R1

# DB2 - SYSPACKDEP Selection



Select Cat: SYSPACKDEP



# DB2 - SYSPACKDEP Results

XINFO PC Client - DB2 - Cat: SYSPACKDEP

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSPACKDEP

Subs	CollID	Package	Creator	Dependent Object	T	ConToken
<all>	<all>	<all>	<all>	<all>		<all>
DBBG	DSNADM	DSNADMEM	SYSIBM	EXPLAIN_MAINT_SQL	G	0E4C9F1F07F4F2F3
DBBG	DSNASPCC	DSNAFCOU	DSNDB06	SYSEBCDC	R	0E5F1F1D09F14040
DBBG	DSNADM	DSNADMGW	SYSPROC	ADMIN_INFO_SSID	O	0E4D2F9F06F5F8F5
DBBG	DSNADM	DSNADMEM	SYSIBM	EXPLAIN_MAINT_TB_NOT_UPGRADED	G	0E4C9F1F07F4F2F3
DBBG	DSN8BD11	DSN8BD3	DSN81110	VPHONE	V	1987F97104A4D145
DBBG	DSN8BD11	DSN8BD3	DSN81110	EMP	T	1987F97104A4D145
DBBG	DSN8BD11	DSN8BD3	DSN8D11A	DSN8S11E	R	1987F97104A4D145
DBBG	DSN8BD11	DSN8BD3	DSN81110	DEPT	T	1987F97104A4D145
DBBG	DSN8BD11	DSN8BD3	DSN8D11A	DSN8S11D	R	1987F97104A4D145
DBBG	DSNADM	DSNADMGW	SYSPROC	ADMIN_INFO_SSID	O	0E5F1F1D09F14040
DBBG	ADBL	ADBRI9	SYSIBM	DSNGGX06	I	19AF1107060D14D4
DBBG	DSNADM	DSNADMGW	SYSPROC	ADMIN_INFO_SYSPARM	O	0E4D2F9F06F5F8F5
DBBG	DSNADM	DSNADMGW	SYSIBM	DB2_SYSPARM	G	0E4D2F9F06F5F8F5
DBBG	DSNADM	DSNADMGW	SYSPROC	ADMIN_COMMAND_DB2	O	0E4D2F9F06F5F8F5
DBBG	DSNADM	DSNADMHO	SYSIBM	DSNQLX01	I	0E5F1F1D09F14040
DBBG	DSNADM	DSNADMHO	SYSIBM	SYSQUERY	T	0E5F1F1D09F14040
DBBG	ADBL	ADBTEP2	SYSIBM	DSNDPX01	I	1963009B0608E9C4
DBBG	DSNADM	DSNADMHO	SYSIBM	SYSQUERYSEL	T	0E5F1F1D09F14040
DBBG	DSNADM	DSNADMHO	DSNDB06	SYSTSQRS	P	0E5F1F1D09F14040
DBBG	DSNADM	DSNADMTH	SYSIBM	ADMIN_TASKS_IX	I	0E5F1F1D09F14040
DBBG	DSNADM	DSNADMGW	SYSIBM	DB2_SYSPARM	G	0E5F1F1D09F14040
DBBG	DSNADM	DSNADMGW	SYSPROC	ADMIN_COMMAND_DB2	O	0E5F1F1D09F14040
DBBG	DSNADM	DSNADMGW	SYSIBM	DB2_CMD_OUTPUT	G	0E5F1F1D09F14040
DBBG	DSNADM	DSNADMHO	DSNDB06	SYSTSQRY	P	0E5F1F1D09F14040
DBBG	DSNADM	DSNADMTH	SYSIBM	ADMIN_TASKS	T	0E5F1F1D09F14040

Connected as: P392F, file: XX40T#25

Lines: 5000

# DB2 - SYSPACKDEP Results

The screenshot shows the IBM Data Studio interface. On the left, the 'Workspace Tree' displays a table of dependencies for the 'DB2 - Cat: SYSPACKDEP' catalog. The table has columns for 'Subs', 'CollID', and 'Package'. The entry 'DBBG DSN8BD11 DSN8BD' is selected. The 'Details' window on the right shows the following properties:

Name	Value
Subsystem	DBBG
CollID	DSN8BD11
Package	DSN8BD3
Creator/Database	DSN8D11A
Dependent Object	DSN8S11D
Object Type	R
ConToken (Hex)	1987F97104A4D145

At the bottom of the interface, there are buttons for 'OK', 'Copy', 'Print...', and 'Save As...'. The status bar at the bottom right indicates 'Lines: 5000'.

# DB2 - SYSDATABASE Selection

The screenshot displays the XINFO PC Client interface. The 'Workspace Tree' on the left lists various database categories under the 'DB2' folder. The category 'Cat: SYSDATABASE' is highlighted with a yellow border. A dark blue callout box with white text points to this selection, containing the instruction 'Select Cat: SYSDATABASE'. The interface includes a menu bar with options like File, Home, Table, Netplan, Barchart, Chart, Script, and View. Below the menu is a toolbar with icons for Copy, Select All, Toggle Selection, Customize, Use Default, Use Custom, Group, Statistics, All, Show SQL, Inverse Filter, New, Library, and Explorer. The status bar at the bottom indicates the connection details: 'Connected as: P392F, file: XX40T#25'.

Workspace Tree

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST
  - Cat: SYSPACKAGE
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS
  - Cat: SYSINDEXES
  - Cat: SYSKEYS
  - Cat: SYSFORIGNKEYS
  - Cat: SYSRELS
  - Cat: SYSSTOGROUP
  - Cat: SYSTABAUTH
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

Select Cat: SYSDATABASE

Connected as: P392F, file: XX40T#25

# DB2 - SYSDATABASE Results

XINFO PC Client - DB2 - Cat: SYSDATABASE

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSDATABASE

Subs	Name	Creator	StGroup	BPOOL	Cre-By	CreatedTS	IndexBP
<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>
DBBG	DSN00001	SYSIBM	SYSDEFLT	BP0	SYSIBM	16.05.2013,14:43:30	BP0
DBBG	DSN00002	SYSIBM	SYSDEFLT	BP0	SYSIBM	16.05.2013,14:44:22	BP0
DBBG	DSN00003	SYSIBM	SYSDEFLT	BP0	SYSIBM	16.05.2013,14:44:46	BP0
DBBG	DSNDB01	SYSIBM			SYSIBM	01.01.0001,00:00:00	BP0
DBBG	DSNDB04	SYSIBM	SYSDEFLT	BP0	SYSIBM	01.04.1985,00:00:00	BP0
DBBG	DSNDB06	SYSIBM			SYSIBM	01.04.1985,00:00:00	BP0
DBBG	DSNDB07	IBMUSER	SYSDEFLT	BP0	IBMUSER	10.11.2013,14:19:16	BP3
DBBG	DSNRLST	IBMUSER	SYSDEFLT	BP2	IBMUSER	10.11.2013,14:40:55	BP3
DBBG	DSNRGFDB	IBMUSER	SYSDEFLT	BP2	IBMUSER	10.11.2013,14:41:16	BP3
DBBG	DSNOPTDB	IBMUSER	DSNOPTSG	BP2	IBMUSER	10.11.2013,14:41:23	BP3
DBBG	DSNMDCDB	IBMUSER	SYSDEFLT	BP2	IBMUSER	10.11.2013,14:42:32	BP3
DBBG	DSN00014	SYSIBM	SYSDEFLT	BP2	SYSIBM	11.11.2013,12:02:48	BP3
DBBG	DSN00015	SYSIBM	SYSDEFLT	BP2	SYSIBM	11.11.2013,12:02:51	BP3
DBBG	DSN00016	SYSIBM	SYSDEFLT	BP2	SYSIBM	11.11.2013,13:05:29	BP3
DBBG	DSN00017	SYSIBM	SYSDEFLT	BP2	SYSIBM	11.11.2013,13:05:29	BP3
DBBG	DSNXSR	IBMUSER	SYSDEFLT	BP2	IBMUSER	11.11.2013,07:06:32	BP3
DBBG	DSN00004	SYSIBM	SYSDEFLT	BP2	SYSIBM	11.11.2013,08:27:10	BP3
DBBG	DSN00005	SYSIBM	SYSDEFLT	BP2	SYSIBM	11.11.2013,08:27:13	BP3
DBBG	DSN00006	SYSIBM	SYSDEFLT	BP2	SYSIBM	11.11.2013,08:27:16	BP3
DBBG	DSN00007	SYSIBM	SYSDEFLT	BP2	SYSIBM	11.11.2013,08:27:19	BP3
DBBG	DSNADMDB	IBMUSER	SYSSMS	BP2	IBMUSER	11.11.2013,10:35:25	BP3
DBBG	DSNATPDB	IBMUSER	SYSSMS	BP0	IBMUSER	11.11.2013,10:35:55	BP3
DBBG	DSNMQDB	IBMUSER	SYSSMS	BP2	IBMUSER	11.11.2013,10:36:00	BP3
DBBG	SYSIBMTA	IBMUSER	SYSSMS	BP2	IBMUSER	11.11.2013,10:36:13	BP3
DBBG	SYSIRMTS	IBMUSER	SYSSMS	BP2	IBMUSER	11.11.2013,10:36:13	BP3

Connected as: P392F, file: XX40T#25


Lines: 90

# DB2 - SYSDATABASE Results

The screenshot displays the IBM Data Studio interface. On the left, the 'Workspace Tree' shows a list of databases under 'DB2 - Cat: SYSDATABASE'. The database 'DSNDB04' is selected. The main window shows the 'Details' pane for this database, listing various attributes and their values. At the bottom, there are buttons for 'OK', 'Copy', 'Print...', and 'Save As...'. The status bar at the bottom right indicates 'Lines: 90'.

Name	Value
Subsystem	DBBG
Name	DSNDB04
Creator	SYSIBM
StGroup	SYSDEFLT
BPOOL	BP0
CreatedBy	SYSIBM
CreatedTS	01.04.1985,00:00:00
IndexBP	BP0

# DB2 - SYSTABLESPACE Selection



Select Cat: SYSTABLESPACE

# DB2 - SYSTABLESPACE Results

XINFO PC Client - DB2 - Cat: SYSTABLESPACE

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSTABLESPACE

Subs	Tablespa	DataBase	Stat	Tables	LR	T	Name Buf	Partitions	ER	CR	Seg Size	Lock Max	DSSize
<all>	<all>	<all>	<..>	<all>			<all>	<all>			<all>	<all>	<all>
DBBG	BETSDMB	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSUNI	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMM1	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMM2	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMM3	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMM4	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMM5	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMM6	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMM7	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSKIG	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMET	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMEG	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSTBV	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSTCV	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSSBG	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSSCG	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	BETSMAQ	DBET40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	XXRSEJS	DXINFO40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	XXRSEJA	DXINFO40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	XXRSEJU	DXINFO40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	XXRSEJC	DXINFO40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	XXRSEJE	DXINFO40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	XXRSEJT	DXINFO40	A	1	A		BP0	0	N	Y	4	-1	0
DBBG	XXRSEJJ	DXINFO40	A	1	A		BP0	0	N	Y	4	-1	0

Connected as: P392F, file: XX40T#25

Lines: 1628

# DB2 - SYSTABLESPACE Results

The screenshot displays the IBM DB2 SYSTABLESPACE results. On the left, a 'Workspace Tree' shows a list of tablespaces under the 'DB2 - Cat: SYSTABLESPACE' category. The tablespace 'DBBG XXRSEJS' is selected. The main window shows the details for this tablespace, including its subsystem, name, database, status, and various configuration parameters.

Name	Value
Subsystem	DBBG
Tablespace	XXRSEJS
DataBase	DXINFO40
Status	A
No. of Tables	1
Lock size of Tspace	A
Type of Tablespace	
Name buffer pool	BP0
Partitions Tspace	0
Data sets erased	N
Data sets closure	Y
Number of pages	4
Max. number locks	-1
Max. size data sets	0

Connected as: P392F, file: XX40T#25

Buttons: OK, Copy, Print..., Save As...

Lines: 1628



# DB2 - SYSTABLES Selection



# DB2 - SYSTABLES Results

XINFO PC Client - DB2 - Cat: SYSTABLES

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSTABLES

Subs	Table	Creator	DataBase	T-Space	Type	Cols	RecLen	Remarks
<all>	<all>	<all>	<all>	<all>	<...>	<...>	<all>	<all>
DBBG	X37TCI3	XXR37	DXXR37	X37SCI3	T	34	533	
DBBG	X37TCI4	XXR37	DXXR37	X37SCI4	T	51	410	
DBBG	X37TCI5	XXR37	DXXR37	X37SCI5	T	17	187	
DBBG	X37TCI6	XXR37	DXXR37	X37SCI6	T	39	298	
DBBG	X37TCI7	XXR37	DXXR37	X37SCI7	T	34	274	
DBBG	XXRTCMD	XXR37	DXXR37	XXRSCMD	T	9	241	
DBBG	XXRTEXP	XXR37	DXXR37	XXRSEXP	T	11	272	
DBBG	XXRTFLO	XXR37	DXXR37	XXRSFLO	T	28	393	
DBBG	XXRTFLJ	XXR37	DXXR37	XXRSFLJ	T	22	357	
DBBG	XXRTCOM	XXR37	DXXR37	XXRSCOM	T	26	212	
DBBG	XXRTETC	XXR37	DXXR37	XXRSETC	T	15	126	
DBBG	XXRTCAL	XXR37	DXXR37	XXRSCAL	T	15	149	
DBBG	XXRTCOP	XXR37	DXXR37	XXRSCOP	T	74	250	
DBBG	XXRTITC	XXR37	DXXR37	XXRSITC	T	16	93	
DBBG	XXRTBJ1	XXR37	DXXR37	XXRSBJ1	T	21	154	
DBBG	XXRTBJ2	XXR37	DXXR37	XXRSBJ2	T	20	155	
DBBG	XXRTBJ3	XXR37	DXXR37	XXRSBJ3	T	24	133	
DBBG	XXRTBJ4	XXR37	DXXR37	XXRSBJ4	T	25	119	
DBBG	XXRTBJ5	XXR37	DXXR37	XXRSBJ5	T	18	123	
DBBG	XXRTBJG	XXR37	DXXR37	XXRSBJG	T	26	159	
DBBG	XXRT93G	XXR37	DXXR37	XXRS93G	T	25	278	
DBBG	XXRT93H	XXR37	DXXR37	XXRS93H	T	16	164	
DBBG	XXRT93I	XXR37	DXXR37	XXRS93I	T	26	798	
DBBG	XXRT93J	XXR37	DXXR37	XXRS93J	T	17	168	
DBBG	XXRT93K	XXR37	DXXR37	XXRS93K	T	14	310	

Connected as: P392F, file: XX40T#25

Lines: 1735

# DB2 - SYSTABLES Results

The screenshot displays the DB2 SYSTABLES interface. On the left, a 'Workspace Tree' shows a list of tables under the 'DBBG' subsystem. The table 'X37TCI7' is selected. The main window shows the details for this table, including its subsystem, name, creator, database, tablespace, type, number of columns, and maximum record length.

Name	Value
Subsystem	DBBG
Table Name	X37TCI7
Creator	XXR37
DataBase	DXXR37
Tablespace	X37SCI7
Type	T
No. of Columns	34
Max. Record Length	274
Remarks	

Connected as: P392F, file: XX40T#25

Buttons: OK, Copy, Print..., Save As...

Lines: 1735

# DB2 - SYSCOLUMNS Selection

The screenshot displays the XINFO PC Client interface. The 'Workspace Tree' on the left lists various system catalogs under the 'DB2' folder. The catalog 'Cat: SYSCOLUMNS' is highlighted with a yellow border. A dark blue callout box with white text points to this selection, containing the instruction 'Select Cat: SYSCOLUMNS'. The main workspace area is currently empty. The top menu bar includes 'File', 'Home', 'Table', 'Netplan', 'Barchart', 'Chart', 'Script', and 'View'. The 'Table' menu is active, showing options like 'Copy', 'Select All', 'Toggle Selection', 'Customize', 'Use Default', 'Use Custom', 'Group', 'Statistics', 'All', 'Show SQL', 'Inverse Filter', 'New', 'Library', and 'Explorer'. The status bar at the bottom indicates the connection: 'Connected as: P392F, file: XX40T#25'.

Workspace Tree

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST
  - Cat: SYSPACKAGE
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS**
  - Cat: SYSINDEXES
  - Cat: SYSKEYS
  - Cat: SYSFORIGNKEYS
  - Cat: SYSRELS
  - Cat: SYSSTOGROUP
  - Cat: SYSTABAUTH
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

Select Cat: SYSCOLUMNS

Connected as: P392F, file: XX40T#25

# DB2 - SYSCOLUMNS Results

XINFO PC Client - DB2 - Cat: SYSCOLUMNS

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSCOLUMNS

Subs	Creator	Table	No	Column	Type	Len	N	D	Sca	Label	Default-Value	Key Seq	PK Col Seq	PK Order	Remarks
<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>
DBBG	DSN81110	DSN_STAT_FEEDBACK	20	REMARKS	VARCHAR	254	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	1	ENABLE	CHAR	1	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	2	IXNAME	VARCHAR	128	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	3	IXSCHEMA	VARCHAR	128	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	4	KEYSEQ	SMALLINT	2	N	Y	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	5	COLNO	SMALLINT	2	N	Y	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	6	ORDERING	CHAR	1	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	7	TYPESCHEMA	VARCHAR	128	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	8	TYPENAME	VARCHAR	128	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	9	LENGTH	SMALLINT	2	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	10	LENGTH2	INTEGER	4	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	11	SCALE	SMALLINT	2	N	Y	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	12	NULLS	CHAR	1	N	1	0		N	0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	13	CCSID	INTEGER	4	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	14	SUBTYPE	CHAR	1	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	15	DERIVED_FROM	VARCHAR	4000	N	N	0			0	0		
DBBG	DSN81110	DSN_VIRTUAL_KEYTARGETS	16	CARDF	FLOAT	8	N	4	0		-1	0	0		
DBBG	DSN81110	EMP_PHOTO_RESUME	1	EMPNO	CHAR	6	N	N	0			1	0		
DBBG	DSN81110	EMP_PHOTO_RESUME	2	EMP_ROWID	ROWID	17	N	A	0			0	0		
DBBG	DSN81110	EMP_PHOTO_RESUME	3	PSEG_PHOTO	BLOB	4	Y	Y	0			0	0		
DBBG	DSN81110	EMP_PHOTO_RESUME	4	BMP_PHOTO	BLOB	4	Y	Y	0			0	0		
DBBG	DSN81110	EMP_PHOTO_RESUME	5	RESUME	CLOB	4	Y	Y	0			0	0		
DBBG	DSN81110	AUX_PSEG_PHOTO	1	AUXID	VARCHAR	17	N	B	0			0	0		

Connected as: P392F, file: XX40T#25

Lines: 5000

# DB2 - SYSCOLUMNS Results

The screenshot displays the DB2 GUI interface showing the SYSCOLUMNS results. The main window is titled "DB2 - Cat: SYSCOLUMNS" and displays a table of columns. The "Details" window is open, showing the properties for the selected column.

**DB2 - Cat: SYSCOLUMNS Table:**

Subs	Creator	Table
<all>	<all>	<all>
DBBG	DSN81110	DSN_STA
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	DSN_VIR
DBBG	DSN81110	EMP_PHO
DBBG	DSN81110	EMP_PHO
DBBG	DSN81110	EMP_PHO
DBBG	DSN81110	EMP_PHO
DBBG	DSN81110	EMP_PHO
DBBG	DSN81110	AUX_PSE

**Details Window:**

Name	Value
Subsystem	DBBG
Table Creator	DSN81110
Table Name	DSN_VIRTUAL_KEYTARGETS
Column Number	2
Column Name	IXNAME
Type	VARCHAR
Length	128
NULLS Y/N	N
DEFAULT Y/N	N
Scale	0
Label	
Default-Value	
Col. pos. prim. key	0
Col. pos. part. key	0
Column order	
Remarks	

**PK Col Seq | PK Order | Remark Window:**

PK Col Seq	PK Order	Remark
<all>	<all>	<
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
1	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	

**Details Window Buttons:** OK, Copy, Print..., Save As...

**Status Bar:** Lines: 5000

**Connected as:** P392F, file: XX40T#25

# DB2 - SYSINDEXES Selection

The screenshot displays the XINFO PC Client interface. The 'Workspace Tree' on the left lists various system catalogs under the 'DB2' folder. The entry 'Cat: SYSINDEXES' is highlighted with a yellow background. A dark blue callout box with white text points to this entry, containing the instruction 'Select Cat: SYSINDEXES'. The main window title is 'XINFO PC Client' and the status bar at the bottom indicates 'Connected as: P392F, file: XX40T#25'.

File Home Table Netplan Barchart Chart Script View

Copy Select All Toggle Selection Edit Customize Use Default Use Custom Table Layout Group Statistics All Table Functions Show SQL Inverse Filter Tools New Library Explorer Chart

Workspace Tree

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST
  - Cat: SYSPACKAGE
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS
  - Cat: SYSINDEXES**
  - Cat: SYSKEYS
  - Cat: SYSFORIGNKEYS
  - Cat: SYSRELS
  - Cat: SYSSTOGROUP
  - Cat: SYSTABAUTH
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

Select Cat: SYSINDEXES

Wor... Wor... Favo... Shor...

Connected as: P392F, file: XX40T#25

# DB2 - SYSINDEXES Results

XINFO PC Client - DB2 - Cat: SYSINDEXES

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSINDEXES

Subs	Index	ICreator	Table	TCreator	9R	No.	C	FirstKC.	FullKC.	Space(KB)	CI	Leafs	Level	DBName	I-Space	BPOOL
<all>	<all>	<all>	<all>	<all>		<		<all>	<all>	<all>		<...>	<...>	<all>	<all>	<...>
DBBG	XXRXOPG1	XXR37	XXRTOPG	XXR37	D	2	N	186	1624	0	099	15	2	DXXR37	XXRXOPG1	BP0
DBBG	XXRXPL11	XXR37	XXRTPL1	XXR37	D	1	N	81	81	0	100	1	2	DXXR37	XXRXPL11	BP0
DBBG	XXRXPL20	XXR37	XXRTPL2	XXR37	D	3	N	124	202	0	098	5	2	DXXR37	XXRXPL20	BP0
DBBG	XXRXPL21	XXR37	XXRTPL2	XXR37	D	1	N	24	24	0	099	2	2	DXXR37	XXRXPL21	BP0
DBBG	XXRXPL3	XXR37	XXRTPL3	XXR37	D	2	N	56	56	0	100	1	2	DXXR37	XXRXPL3	BP0
DBBG	XXRXPL40	XXR37	XXRTPL4	XXR37	D	2	N	17	17	0	100	1	2	DXXR37	XXRXPL40	BP0
DBBG	XXRXPL41	XXR37	XXRTPL4	XXR37	D	1	N	9	9	0	100	1	2	DXXR37	XXRXPL41	BP0
DBBG	XXRXDMM	XXR37	XXRTDMM	XXR37	D	2	N	1500	2447	0	100	38	2	DXXR37	XXRXDMM	BP0
DBBG	XXRXPL50	XXR37	XXRTPL5	XXR37	D	2	N	10	10	0	100	1	2	DXXR37	XXRXPL50	BP0
DBBG	XXRXPL51	XXR37	XXRTPL5	XXR37	D	1	N	7	7	0	100	1	2	DXXR37	XXRXPL51	BP0
DBBG	XXRXPL60	XXR37	XXRTPL6	XXR37	D	2	N	34	34	0	100	4	2	DXXR37	XXRXPL60	BP0
DBBG	XXRXPL61	XXR37	XXRTPL6	XXR37	D	2	N	3	99	0	090	7	2	DXXR37	XXRXPL61	BP0
DBBG	XXRXPL70	XXR37	XXRTPL7	XXR37	D	2	N	24	24	0	100	1	2	DXXR37	XXRXPL70	BP0
DBBG	XXRXPL71	XXR37	XXRTPL7	XXR37	D	1	N	52	52	0	100	2	2	DXXR37	XXRXPL71	BP0
DBBG	XXRXPL8	XXR37	XXRTPL8	XXR37	D	2	N	5	5	0	100	1	2	DXXR37	XXRXPL8	BP0
DBBG	XXRXPL90	XXR37	XXRTPL9	XXR37	D	2	N	55	55	0	099	6	2	DXXR37	XXRXPL90	BP0
DBBG	XXRXPL91	XXR37	XXRTPL9	XXR37	D	2	N	1939	4382	0	074	52	2	DXXR37	XXRXPL91	BP0
DBBG	XXRXPLA	XXR37	XXRTPLA	XXR37	D	2	N	94	94	0	099	36	2	DXXR37	XXRXPLA	BP0
DBBG	XXRXPLB0	XXR37	XXRTPLB	XXR37	D	2	N	55	55	0	099	27	2	DXXR37	XXRXPLB0	BP0
DBBG	XXRXPLB1	XXR37	XXRTPLB	XXR37	D	1	N	1874	1874	0	091	42	2	DXXR37	XXRXPLB1	BP0
DBBG	XXRXCOP	XXR37	XXRTCOP	XXR37	D	2	N	11	11	0	100	1	2	DXXR37	XXRXCOP	BP0
DBBG	XXRXMSM0	XXR37	XXRTMSM	XXR37	D	3	N	308	327	0	099	148	3	DXXR37	XXRXMSM0	BP0
DBBG	XXRXMSM1	XXR37	XXRTMSM	XXR37	D	1	N	14112	14112	0	075	183	2	DXXR37	XXRXMSM1	BP0

Connected as: P392F, file: XX40T#25 Lines: 2613



# DB2 - SYSINDEXES Results

**DB2 - Cat: SYSINDEXES**

Subs	Index
<all>	<all>
DBBG	XXRXOPG1
DBBG	XXRXPL11
DBBG	XXRXPL20
DBBG	XXRXPL21
DBBG	XXRXPL3
DBBG	<b>XXRXPL40</b>
DBBG	XXRXPL41
DBBG	XXRXDMM
DBBG	XXRXPL50
DBBG	XXRXPL51
DBBG	XXRXPL60
DBBG	XXRXPL61
DBBG	XXRXPL70
DBBG	XXRXPL71
DBBG	XXRXPL8
DBBG	XXRXPL90
DBBG	XXRXPL91
DBBG	XXRXPLA
DBBG	XXRXPLB0
DBBG	XXRXPLB1
DBBG	XXRXCOP
DBBG	XXRXMSM0
DBBG	XXRXMSM1

Connected as: P392F, file: XX40T#25

**Details**


Name	Value
Subsystem	DBBG
Index-Name	XXRXPL40
Index-Creator	XXR37
Table-Name	XXRTP4
Table-Creator	XXR37
Unique-Rule	D
No. of Cols	2
Clustering Y/N	N
FirstKeyCard	17
FullKeyCard	17
Space in KB	0
ClusterRatio	100
No. of Leafs	1
No. of Levels	2
DBName	DXXR37
IndexSpace	XXRXPL40
BPOOL	BP0
EraseRule	N
FirstKeyCard(Float)	17
FullKeyCard (Float)	17
StatsTime	30.08.2017,01:26:03
Alter/Create TS	16.05.2017,16:46:22
Close rule	Y

DBName	I-Space	BPOOL
<all>	<all>	<all>
DXXR37	XXRXOPG1	BP0
DXXR37	XXRXPL11	BP0
DXXR37	XXRXPL20	BP0
DXXR37	XXRXPL21	BP0
DXXR37	XXRXPL3	BP0
DXXR37	<b>XXRXPL40</b>	<b>BP0</b>
DXXR37	XXRXPL41	BP0
DXXR37	XXRXDMM	BP0
DXXR37	XXRXPL50	BP0
DXXR37	XXRXPL51	BP0
DXXR37	XXRXPL60	BP0
DXXR37	XXRXPL61	BP0
DXXR37	XXRXPL70	BP0
DXXR37	XXRXPL71	BP0
DXXR37	XXRXPL8	BP0
DXXR37	XXRXPL90	BP0
DXXR37	XXRXPL91	BP0
DXXR37	XXRXPLA	BP0
DXXR37	XXRXPLB0	BP0
DXXR37	XXRXPLB1	BP0
DXXR37	XXRXCOP	BP0
DXXR37	XXRXMSM0	BP0
DXXR37	XXRXMSM1	BP0

Lines: 2613

# DB2 - SYSKEYS Selection



Select Cat: SYSKEYS

# DB2 - SYSKEYS Results

XINFO PC Client - DB2 - Cat: SYSKEYS

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSKEYS

Subs	Index-Name	Index-Cr	ColName	Ord	CNo	CSq
<all>	<all>	<all>	<all>	<all>	<all>	<all>
DBBG	BETXSBG	XXR40	UNISUCC	A	6	1
DBBG	BETXSBG	XXR40	UNIPRED	A	5	2
DBBG	BETXSCG	XXR40	UNISUCC	A	6	1
DBBG	BETXSCG	XXR40	UNIPRED	A	5	2
DBBG	BETXMAQ0	XXR40	B48SERVEUR	A	4	1
DBBG	BETXMAQ0	XXR40	B48GRPSMTT	A	11	2
DBBG	BETXMAQ0	XXR40	B48FONCSMTT	A	12	3
DBBG	BETXMAQ1	XXR40	B48APPLI	A	14	1
DBBG	<b>XXRXEJS</b>	<b>XXR40</b>	<b>EJSSSID</b>	<b>A</b>	<b>4</b>	<b>1</b>
DBBG	XXRXEJA0	XXR40	EJASSID	A	4	1
DBBG	XXRXEJA1	XXR40	EJATRACKNAM	A	5	1
DBBG	XXRXEJU0	XXR40	EJUSSID	A	4	1
DBBG	XXRXEJU1	XXR40	EJUSYSID	A	5	1
DBBG	XXRXEJU1	XXR40	EJUCLIENT	A	6	2
DBBG	XXRXEJC0	XXR40	EJCSSID	A	4	1
DBBG	XXRXEJC1	XXR40	EJCSYSID	A	5	1
DBBG	XXRXEJC1	XXR40	EJCTACKNAM	A	6	2
DBBG	XXRXEJE0	XXR40	EJESSID	A	4	1
DBBG	XXRXEJE1	XXR40	EJEENAMMASK	A	5	1
DBBG	XXRXEJE1	XXR40	EJEEVENTTYP	A	6	2
DBBG	XXRXEJT0	XXR40	EJTSSID	A	4	1
DBBG	XXRXEJT1	XXR40	EJTB48JOBID	A	5	1
DBBG	XXRXEJJ0	XXR40	EJJSSID	A	4	1
DBBG	XXRXEJJ1	XXR40	EJJJOJONAME	A	5	1

Connected as: P392F, file: XX40T#25

Lines: 4685

# DB2 - SYSKEYS Results

The screenshot displays the IBM Db2 SYSKEYS results interface. On the left, the 'Workspace Tree' shows a list of indexes under the 'DB2 - Cat: SYSKEYS' category. The index 'XRXEJS' is selected. The 'Details' window on the right provides the following information:

Name	Value
Subsystem	DBBG
Index-Name	XRXEJS
Index-Creator	XRX40
ColName	EJSSSID
Asc/Desc Order	A
ColNo (Pos in Tab)	4
ColSeq (Pos in Key)	1

At the bottom of the interface, the status bar indicates 'Connected as: P392F, file: XX40T#25'. The 'Details' window has buttons for 'OK', 'Copy', 'Print...', and 'Save As...'. The rightmost window shows 'Lines: 4685'.

# DB2 - SYSPACKLIST Selection

The screenshot displays the XINFO PC Client interface. The 'Workspace Tree' on the left lists various system catalogs under the 'DB2' folder. The catalog 'Cat: SYSPACKLIST' is highlighted with a yellow border. A callout box with a pointer indicates the selection of this catalog. The main workspace area is currently empty.

**Workspace Tree**

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST
  - Cat: SYSPACKAGE
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS
  - Cat: SYSINDEXES
  - Cat: SYSKEYS
  - Cat: SYSPACKLIST**
  - Cat: SYSRELS
  - Cat: SYSSTOGROUP
  - Cat: SYSTABAUTH
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

**Select Cat: SYSPACKLIST**

Connected as: P392F, file: XX40T#25

# DB2 - SYSFORIGNKEYS Results

XINFO PC Client - DB2 - Cat: SYSFORIGNKEYS

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSFORIGNKEYS

Subs	Creator	TBName	RelName	ColName	CNo	CSq
<all>	<all>	<all>	<all>	<all>	<..>	<..>
DBBG	SYSIBMTS	SYSTEXTLOCKS	SYSTEXTL	INDEXID	1	1
DBBG	SYSIBMTS	SYSTEXTSERVERHISTORY	SYSTEXTH	INDEXID	1	1
DBBG	SYSIBMTS	SYSTEXTSERVERHISTORY	SYSTEXTH	SERVERID	2	1
DBBG	DSN81110	PROJACT	RPAP	PROJNO	1	1
DBBG	DSN81110	PROJACT	RPA	ACTNO	2	1
DBBG	DSN81110	EMPPROJACT	REPAPA	PROJNO	2	1
DBBG	DSN81110	EMPPROJACT	REPAPA	ACTNO	3	2
DBBG	DSN81110	EMPPROJACT	REPAPA	EMSTDATE	5	3
DBBG	DSN81110	EMPPROJACT	REPAP	EMPNO	1	1
DBBG	DSN81110	DEPT	RDD	ADMRDEPT	4	1
DBBG	DSN81110	DEPT	RDE	MGRNO	3	1
DBBG	DSN81110	PROJ	RPP	MAJPROJ	8	1
DBBG	DSN81110	PFAMILY	DIVISION	DIVISIONID	3	1
DBBG	DSN81110	PCATEGORY	FAMILYID	FAMILYID	3	1
DBBG	DSN81110	PRODUCTS	CATEGORY	CATEGORYID	5	1
DBBG	DSN81110	LOCATION	STOR1YJC	STOREID	1	1
DBBG	DSN81110	LOCATION	CITYID	CITYID	2	1
DBBG	DSN81110	LOCATION	STATEID	STATEID	3	1
DBBG	DSN81110	LOCATION	REGIONID	REGIONID	4	1
DBBG	DSN81110	CUSTOMERS	AGEGROUP	AGEGROUPID	8	1
DBBG	DSN81110	CUSTOMERS	INCOMESR	INCOME_RANGEID	9	1
DBBG	DSN81110	CUSTOMERS	ETHNICGR	ETHNICGROUPID	12	1
DBBG	DSN81110	SALESFACT	TIMEID	TIMEID	1	1
DBBG	DSN81110	SALESFACT	STOREID	STOREID	2	1
DBBG	DSN81110	SALESFACT	PRODUCTI	PRODUCTID	3	1

Connected as: P392F, file: XX40T#25

Lines: 237

# DB2 - SYSFORIGNKEYS Results

Connected as: P392F, file: XX40T#25

Name	Value
Subsystem	DBBG
Creator	DSN81110
TBName	EMPPROJACT
RelName	REPAPA
ColName	PROJNO
ColNo (Pos in Tab)	2
ColSeq (Pos in Key)	1

Lines: 237

# DB2 - SYSRELS Selection

The screenshot displays the XINFO PC Client interface. The 'Table' tab is active in the top menu. The 'Workspace Tree' on the left lists various system catalogs under the 'DB2' folder. 'Cat: SYSRELS' is highlighted with a yellow background. A dark blue callout box with white text points to this selection, containing the instruction 'Select Cat: SYSRELS'. The status bar at the bottom indicates the user is connected as 'P392F' to file 'XX40T#25'.

XINFO PC Client

File Home Table Netplan Barchart Chart Script View

Copy Select All Toggle Selection Edit Customize Use Default Use Custom Table Layout Group Statistics All Table Functions Show SQL Inverse Filter Tools New Library Explorer Chart

Workspace Tree

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST
  - Cat: SYSPACKAGE
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS
  - Cat: SYSINDEXES
  - Cat: SYSKEYS
  - Cat: SYSFORIGNKEYS
  - Cat: SYSRELS**
  - Cat: SYSSTOGROUP
  - Cat: SYSTABAUTH
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

Select Cat: SYSRELS

Wor... Wor... Favo... Shor...

Connected as: P392F, file: XX40T#25



# DB2 - SYSRELS Results

XINFO PC Client - DB2 - Cat: SYSRELS

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSRELS

Subs	Creator	TBName	RelName	RefTBName	RefTBCre	Cnt	D	TimeStamp
<all>	<all>	<all>	<all>	<all>	<all>			<all>
DBBG	SYSIBM	MODESELECT	DSNFN\$FD	LUNAMES	SYSIBM	1	C	17.08.2000,10:34:03
DBBG	SYSIBM	LUMODES	DSNFN\$FM	LUNAMES	SYSIBM	1	C	17.08.2000,10:34:02
DBBG	SYSIBM	LULIST	DSNFN\$FL	LUNAMES	SYSIBM	1	C	17.08.2000,10:34:02
DBBG	SYSIBM	SYSAUTOALERTS	DSNPH\$AL	SYSAUTORUNS_HIST	SYSIBM	1	R	09.08.2010,16:31:06
DBBG	SYSIBM	SYSCHECKS2	DSNSC\$CH	SYSCHECKS	SYSIBM	3	C	29.11.2000,15:50:20
DBBG	SYSIBM	SYSCHECKDEP	DSNSC\$SD	SYSCHECKS	SYSIBM	3	C	22.05.1994,18:57:54
DBBG	SYSIBM	SYSXMLRELS	DSNDC\$XR	SYSCOLUMNNS	SYSIBM	3	C	10.03.2006,16:40:56
DBBG	SYSIBM	SYSFIELDS	DSNDF\$FD	SYSCOLUMNNS	SYSIBM	3	C	09.08.2010,16:31:49
DBBG	SYSIBM	SYSCOLAUTH	DSNDF\$AC	SYSCOLUMNNS	SYSIBM	3	C	16.05.2013,14:43:16
DBBG	SYSIBM	SYSCOLUMNS_HIST	DSNDC\$HE	SYSCOLUMNNS	SYSIBM	3	C	29.11.2000,15:50:23
DBBG	SYSIBM	SYSCOLDIST_HIST	DSNDC\$HF	SYSCOLUMNNS	SYSIBM	3	C	29.11.2000,15:50:23
DBBG	SYSIBM	SYSCOLDIST	DSNDC\$TN	SYSCOLUMNNS	SYSIBM	3	C	24.06.1992,16:07:33
DBBG	SYSIBM	SYSCOLDISTSTATS	DSNDC\$TP	SYSCOLUMNNS	SYSIBM	3	C	24.06.1992,16:07:49
DBBG	SYSIBM	SYSCOLSTATS	DSNDC\$TC	SYSCOLUMNNS	SYSIBM	3	C	24.06.1992,16:07:55
DBBG	SYSIBM	SYSCTXTTRUSTATTRS	DSNCA\$CT	SYSCONTEXT	SYSIBM	1	C	10.03.2006,16:40:53
DBBG	SYSIBM	SYSCONTEXTAUTHIDS	DSNCA\$CU	SYSCONTEXT	SYSIBM	1	C	10.03.2006,16:40:53
DBBG	SYSIBM	SYSDBAUTH	DSNDD\$AD	SYSDATABASE	SYSIBM	1	C	09.08.2010,16:32:32
DBBG	SYSIBM	SYSSTMT	DSNPD\$PS	SYSDBRM	SYSIBM	2	C	09.08.2010,16:34:04
DBBG	SYSIBM	SYSKEYTARGETS	DSNDX\$RK	SYSINDEXES	SYSIBM	2	C	10.03.2006,16:40:58
DBBG	SYSIBM	SYSINDEXPART	DSNDX\$DR	SYSINDEXES	SYSIBM	2	C	09.08.2010,16:31:49
DBBG	SYSIBM	SYSKEYS	DSNDX\$DK	SYSINDEXES	SYSIBM	2	C	09.08.2010,16:31:49
DBBG	SYSIBM	SYSINDEXES_HIST	DSNDX\$HH	SYSINDEXES	SYSIBM	2	C	29.11.2000,15:50:25
DBBG	SYSIBM	SYSINDEXSTATS_HIST	DSNTX\$HI	SYSINDEXES	SYSIBM	2	C	21.09.2003,23:27:08
DBBG	SYSIBM	SYSINDEXSTATS	DSNDX\$TX	SYSINDEXES	SYSIBM	2	C	24.06.1992,16:08:06
DBBG	SYSIBM	SYSINDEXPART_HIST	DSNDR\$HG	SYSINDEXPART	SYSIBM	3	C	29.11.2000,15:50:24

Connected as: P392F, file: XX40T#25

Lines: 137

# DB2 - SYSRELS Results

The screenshot shows the IBM Data Studio interface. On the left, the 'Workspace Tree' displays a list of subsystems under the 'DB2 - Cat: SYSRELS' category. The 'Details' dialog box is open, showing the following information for the selected subsystem:

Name	Value
Subsystem	DBBG
Creator	SYSIBM
TBName	SYSAUTOALERTS
RelName	DSNPH\$AL
RefTBName	SYSAUTORUNS_HIST
RefTBCreator	SYSIBM
ColCount	1
DeleteRule	R
TimeStamp	09.08.2010,16:31:06

At the bottom of the dialog box, there are buttons for 'OK', 'Copy', 'Print...', and 'Save As...'. The status bar at the bottom right of the dialog indicates 'Lines: 137'.

# DB2 - SYSSTOGROUPS Selection

The screenshot displays the XINFO PC Client interface. The 'Workspace Tree' on the left lists various system catalogs under the 'DB2' folder. The catalog 'Cat: SYSSTOGROUP' is highlighted with a yellow border. A callout box with a pointer indicates this selection. The main workspace area is currently empty. The top menu bar includes 'File', 'Home', 'Table', 'Netplan', 'Barchart', 'Chart', 'Script', and 'View'. The toolbar contains various icons for editing, table functions, and charting. The status bar at the bottom indicates the connection details: 'Connected as: P392F, file: XX40T#25'.

**Select Cat: SYSSTOGROUP**

# DB2 - SYSSTOGROUPS Results

XINFO PC Client - DB2 - Cat: SYSSTOGROUP

File Home Table Netplan Barchart Chart Script View Style

Copy Select All Toggle Selection Edit Customize Use Default Use Custom Table Layout Group Statistics All Table Functions Show SQL Inverse Filter Tools New Library Explorer Chart

DB2 - Cat: SYSSTOGROUP

Subs	Name	Creator	VCatName	Space (KB)	Cre-By	StatsTime
<all>	<all>	<all>	<all>	<all>	<all>	<all>
DBBG	SYSDEFLT	IBMUSER	DSNB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	DSNOPTSG	IBMUSER	DSNCB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	<b>SYSSMS</b>	IBMUSER	DSNCB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	DSN8G110	IBMUSER	DSNB10	0	DPACK	01.01.0001,00:00:00
DBBG	DSN8G11Y	IBMUSER	DSNB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	DSQSGCTL	IBMUSER	QMFB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	DSQSGDEF	IBMUSER	QMFB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	DSQ1STBG	IBMUSER	QMFB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	ADBGCH	IBMUSER	DSNB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	ADBGCHG	IBMUSER	DSNB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	DSN8G11U	IBMUSER	DSNB10	0	IBMUSER	01.01.0001,00:00:00
DBBG	TESTSG	IBMUSER	DSNB10	0	CLARKG	01.01.0001,00:00:00
DBBG	SYSD01	IBMUSER	DSNUDBBG	0	IBMUSER	01.01.0001,00:00:00

Connected as: P392F, file: XX40T#25 Lines: 13

# DB2 - SYSSTOGROUPS Results

**Details**

Name	Value
Subsystem	DBBG
Name	SYSSMS
Creator	IBMUSER
VCatName	DSNCB10
Space (KB)	0
CreatedBy	IBMUSER
StatsTime	01.01.0001,00:00:00

**DB2 - Cat: SYSSTOGROUPS**

Subs	Name	Creator
<all>	<all>	<all>
DBBG	SYSDEFLT	IBMUSER
DBBG	DSNOPTSG	IBMUSER
DBBG	SYSSMS	IBMUSER
DBBG	DSN8G110	IBMUSER
DBBG	DSN8G11Y	IBMUSER
DBBG	DSQSGCTL	IBMUSER
DBBG	DSQSGDEF	IBMUSER
DBBG	DSQ1STBG	IBMUSER
DBBG	ADBGCH	IBMUSER
DBBG	ADBGCHG	IBMUSER
DBBG	DSN8G11U	IBMUSER
DBBG	TESTSG	IBMUSER
DBBG	SYSD01	IBMUSER

Connected as: P392F, file: XX40T#25

OK Copy Print... Save As...

Lines: 13

# DB2 - SYSTABAUTH Selection

The screenshot displays the XINFO PC Client interface. The 'Workspace Tree' on the left lists various system catalog categories under the 'DB2' folder. The category 'Cat: SYSTABAUTH' is highlighted with a yellow border. A dark blue callout box with white text points to this selection, containing the instruction 'Select Cat: SYSTABAUTH'. The main workspace area is currently empty. The top menu bar includes 'File', 'Home', 'Table', 'Netplan', 'Barchart', 'Chart', 'Script', and 'View'. The bottom status bar shows the connection details: 'Connected as: P392F, file: XX40T#25'.

Workspace Tree

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST
  - Cat: SYSPACKAGE
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS
  - Cat: SYSINDEXES
  - Cat: SYSKEYS
  - Cat: SYSFORIGNKEYS
  - Cat: SYSRELS
  - Cat: SYSSTOGROUP
  - Cat: SYSTABAUTH**
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

Select Cat: SYSTABAUTH

Connected as: P392F, file: XX40T#25

# DB2 - SYSTABAUTH Results

XINFO PC Client - DB2 - Cat: SYSTABAUTH

File Home Table Netplan Barchart Chart Script View

DB2 - Cat: SYSTABAUTH

Subs	Grantor	Grantee	GT	TCreator	TTName	Sel	Ins	Upd	Del	Alt	How	UCol	Ind	DBName	SCreator	STName
<all>	<all>	<all>		<all>	<all>			<...>			<...>	<...>		<all>	<all>	<all>
DBBG	SYSADM	PUBLIC		SYSIBM	SYSDUMMYE	Y					S				SYSIBM	SYSDUMMYE
DBBG	SYSADM	PUBLIC		SYSIBM	SYSDUMMYA	Y					S				SYSIBM	SYSDUMMYA
DBBG	SYSADM	PUBLIC		SYSIBM	SYSDUMMYU	Y					S				SYSIBM	SYSDUMMYU
DBBG	SYSADM	PUBLIC		SYSIBM	SYSDUMMY1	Y					S				SYSIBM	SYSDUMMY1
DBBG	SYSIBM	SYSIBM		SYSIBM	DSNRLST01	G	G	G	G	G	S		G		SYSIBM	DSNRLST01
DBBG	DSNRGCOL	DSNRGCOL		DSNRGCOL	DSN_REGISTER_APPL	G	G	G	G	G	S		G		DSNRGCOL	DSN_REGISTER_APPL
DBBG	DSNRGCOL	DSNRGCOL		DSNRGCOL	DSN_REGISTER_OBJT	G	G	G	G	G	S		G		DSNRGCOL	DSN_REGISTER_OBJT
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_PROFILE_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_PROFILE_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_PROFILE_HISTORY	G	G	G	G	G	S		G		SYSIBM	DSN_PROFILE_HISTORY
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_PROFILE_ATTRIBUTES	G	G	G	G	G	S		G		SYSIBM	DSN_PROFILE_ATTRIBUTES
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_PROFILE_ATTRIBUTES_HISTORY	G	G	G	G	G	S		G		SYSIBM	DSN_PROFILE_ATTRIBUTES_HISTORY
DBBG	SYSIBM	SYSIBM		SYSIBM	PLAN_TABLE	G	G	G	G	G	S		G		SYSIBM	PLAN_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_STATEMNT_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_STATEMNT_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_FUNCTION_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_FUNCTION_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_PREDICAT_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_PREDICAT_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_STRUCT_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_STRUCT_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_PGROUP_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_PGROUP_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_PTASK_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_PTASK_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_FILTER_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_FILTER_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_DETCOST_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_DETCOST_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_SORT_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_SORT_TABLE
DBBG	SYSIBM	SYSIBM		SYSIBM	DSN_SORTKEY_TABLE	G	G	G	G	G	S		G		SYSIBM	DSN_SORTKEY_TABLE
DBBG	IBMUSER	DSNLEUSR	P	SYSIBM	USERNAMES		Y				S				SYSIBM	USERNAMES
DBBG	IBMUSER	DSNNVXAD	P	SYSIBM	XSROR.IEFTCOMPONENTS	Y	Y				D			DSNXSR	SYSIBM	XSROR.IEFTCOMPONENTS

Connected as: P392F, file: XX40T#25

Lines: 5000

# DB2 - SYSTABAUTH Results

The screenshot displays the IBM Data Studio interface. The main window shows the details of a SYSTABAUTH entry. The 'Details' window is open, showing the following information:

Name	Value
Subsystem	DBBG
Grantor	SYSIBM
Grantee	SYSIBM
Grantee Type	
TCreator	SYSIBM
TTName	DSNRLST01
SelectAuth	G
InsertAuth	G
UpdateAuth	G
DeleteAuth	G
AlterAuth	G
AuthHowGot	S
UpdateCols	
IndexAuth	G
DBName	
SCreator	SYSIBM
STName	DSNRLST01
CollID	
ConToken	4040404040404040
ReferencesAuth	G
RefCols	
GrantedTS	10.11.2013,14:41:04

The 'Details' window also includes buttons for 'OK', 'Copy', 'Print...', and 'Save As...' at the bottom.

The secondary window on the right shows a list of tables. The table 'DSNRLST01' is selected and highlighted in blue. Other visible tables include UMMYE, UMMYA, UMMYU, UMMY1, REGISTER\_APPL, REGISTER\_OBJT, PROFILE\_TABLE, PROFILE\_HISTORY, PROFILE\_ATTRIBUTES, PROFILE\_ATTRIBUTES\_HISTORY, STATEMNT\_TABLE, FUNCTION\_TABLE, PREDICAT\_TABLE, STRUCT\_TABLE, PGROUP\_TABLE, PTASK\_TABLE, FILTER\_TABLE, DETCOST\_TABLE, SORT\_TABLE, SORTKEY\_TABLE, NAMES, and RIECTCOMPONENTS. The status bar at the bottom right indicates 'Lines: 5000'.



# DB2 - SYSTABLEPART Selection

The screenshot displays the XINFO PC Client interface. The main window title is "XINFO PC Client". The menu bar includes "File", "Home", "Table", "Netplan", "Barchart", "Chart", "Script", and "View". The ribbon contains several groups of icons: "Edit" (Copy, Select All, Toggle Selection), "Table Layout" (Customize, Use Default, Use Custom), "Table Functions" (Group, Statistics, All), "Tools" (Show SQL, Inverse Filter), and "Chart" (New, Library, Explorer). On the left, the "Workspace Tree" pane shows a folder named "DB2" containing a list of categories. The category "Cat: SYSTABLEPART" is highlighted with a yellow dashed border. A dark blue callout box with white text points to this category, containing the instruction "Select Cat: SYSTABLEPART". The status bar at the bottom indicates the connection: "Connected as: P392F, file: XX40T#25".

Workspace Tree

- DB2
  - Cat: SYSPLAN
  - Cat: SYSPLANDEP
  - Cat: SYSDBRM
  - Cat: SYSPACKLIST
  - Cat: SYSPACKAGE
  - Cat: SYSPACKDEP
  - Cat: SYSDATABASE
  - Cat: SYSTABLESPACE
  - Cat: SYSTABLES
  - Cat: SYSCOLUMNS
  - Cat: SYSINDEXES
  - Cat: SYSKEYS
  - Cat: SYSFORIGNKEYS
  - Cat: SYSRELS
  - Cat: SYSSTOGROUP
  - Cat: SYSTABAUTH
  - Cat: SYSTABLEPART
  - Cat: SYSINDEXPART

Select Cat: SYSTABLEPART

Connected as: P392F, file: XX40T#25

# DB2 - SYSTABLEPART Results

XINFO PC Client - DB2 - Cat: SYSTABLEPART

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSTABLEPART

Subs	Part.	TSName	DBName	IXName	IXCreat	PQTY	SQTY	ST	StorName	VCATName	Card	FarIndRef	NearIndRef	Act%	Drop%	LimitKey	Freepage	Free%	ChkFlg	CRID
<all>	<...>	<all>	<all>	<all>	<all>	<a...>	<a...>	<all>	<all>	<all>	<...>	<all>	<all>	<...>	<all>	<all>	<all>	<a...>	<all>	<...>
DBBG	0	BETSTBV	DBET40			-1	-1	I	SYSD01	DSNUDBBG	6055	0	0	84			0	0		
DBBG	0	BETSTCV	DBET40			-1	-1	I	SYSD01	DSNUDBBG	1812	0	0	75			0	0		
DBBG	0	BETSSBG	DBET40			18	18	I	SYSD01	DSNUDBBG	1964	0	0	95			0	0		
DBBG	0	BETSSCG	DBET40			18	18	I	SYSD01	DSNUDBBG	1964	0	0	95			0	0		
DBBG	0	BETSMAQ	DBET40			90	90	I	SYSD01	DSNUDBBG	27270	0	0	92			0	0		
DBBG	0	XXRSEJS	DXINFO40			-1	-1	I	SYSD01	DSNUDBBG	57	0	0	30			0	0		
DBBG	0	XXRSEJA	DXINFO40			-1	-1	I	SYSD01	DSNUDBBG	51	0	0	82			0	0		
DBBG	0	XXRSEJU	DXINFO40			-1	-1	I	SYSD01	DSNUDBBG	75	0	0	42			0	0		
DBBG	0	XXRSEJC	DXINFO40			-1	-1	I	SYSD01	DSNUDBBG	65	0	0	12			0	0		
DBBG	0	XXRSEJE	DXINFO40			-1	-1	I	SYSD01	DSNUDBBG	24	0	0	24			0	0		
DBBG	0	XXRSEJT	DXINFO40			-1	-1	I	SYSD01	DSNUDBBG	0	0	0				0	0		
DBBG	0	XXRSEJJ	DXINFO40			-1	-1	I	SYSD01	DSNUDBBG	3880	0	0	87			0	0		
DBBG	0	XXRSSPX	DXXR37			900	900	I	SYSD01	DSNUDBBG	128987	0	0	93			0	0		
DBBG	0	XXRSUNI	DXXR37			18	18	I	SYSD01	DSNUDBBG	0	0	0				0	0		
DBBG	0	XXRSSPA	DXXR37			90	90	I	SYSD01	DSNUDBBG	10348	0	0	87			0	0		
DBBG	0	XXRSSPD	DXXR37			9000	900	I	SYSD01	DSNUDBBG	30508	0	0	93			0	0		
DBBG	0	XXRSSPV	DXXR37			18	18	I	SYSD01	DSNUDBBG	126	0	0	60			0	0		
DBBG	0	XXRSSPG	DXXR37			18	18	I	SYSD01	DSNUDBBG	16	0	0	23			0	0		
DBBG	0	XXRSSPC	DXXR37			18	18	I	SYSD01	DSNUDBBG	12	0	0	18			0	0		
DBBG	0	XXRSSPS	DXXR37			18	18	I	SYSD01	DSNUDBBG	14	0	0	13			0	0		
DBBG	0	XXRSSPT	DXXR37			18	18	I	SYSD01	DSNUDBBG	18	0	0	40			0	0		
DBBG	0	XXRSSPB	DXXR37			9000	900	I	SYSD01	DSNUDBBG	29	0	0	7			0	0		
DBBG	0	XXRSSPM	DXXR37			9000	900	I	SYSD01	DSNUDBBG	1888	0	0	77			0	0		

Connected as: P392F, file: XX40T#25 Lines: 1632



# DB2 - SYSINDEXPART Selection

The screenshot shows the XINFO PC Client interface. The 'Workspace Tree' on the left lists various system catalog categories. 'Cat: SYSINDEXPART' is highlighted with a yellow border. A dark blue callout box with white text points to this selection, containing the instruction 'Select Cat: SYSINDEXPART'. The main workspace area is currently empty. The status bar at the bottom indicates the connection details: 'Connected as: P392F, file: XX40T#25'.

Workspace Tree

- Cat: SYSTABLES
- Cat: SYSCOLUMNS
- Cat: SYSINDEXES
- Cat: SYSKEYS
- Cat: SYSFOREIGNKEYS
- Cat: SYSRELS
- Cat: SYSSTOGROUP
- Cat: SYSTABAUTH
- Cat: SYSTABLEPART
- Cat: SYSINDEXPART**
- Cat: SYSVIEWDEP
- Cat: SYSSEQUENCES
- Cat: SYSTRIGGERS
- View/Table
- Job/Pgm/Table
- Job/Pgm/Plan
- CICS
- IMS
- SMF

Select Cat: SYSINDEXPART

Connected as: P392F, file: XX40T#25

# DB2 - SYSINDEXPART Results

XINFO PC Client - DB2 - Cat: SYSINDEXPART

File Home Table Netplan Barchart Chart Script View Style

DB2 - Cat: SYSINDEXPART


Subs	Part.	Index-Name	IdxCreat	PQTY	SQTY	ST	StorName	VCATName	Card	FarOffPos	LeafDist	NearOffPos	LimitKey	Freepage	Free%	Space	Statstime
<all>	<all>	<all>	<all>	<a...>	<a...>		<all>	<all>	<...>	<all>	<all>	<all>	<all>	<all>	<a...>	<all>	<all>
DBBG	0	DSNACX01	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNACX02	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNACX03	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNACX04	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNADH01	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1	0	00000	10	0	0
DBBG	0	DSNADH02	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNADX01	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1	0	00000	10	0	0
DBBG	0	DSNAGH01	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1	0	00000	10	0	0
DBBG	0	DSNAGX01	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1	0	00000	10	0	0
DBBG	0	DSNALX01	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNALX02	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNALX03	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNALX04	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNALX05	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNALX06	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNALX07	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNAPH01	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1	0	00000	10	0	0
DBBG	0	DSNAPX01	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1	0	00000	10	0	0
DBBG	0	DSNAPX02	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNAPX03	SYSIBM	-1	-1	E			-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNATX01	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1	0	00000	10	0	0
DBBG	0	DSNARL01	SYSIBM	-1	-1	I	SYSDEFLT	DSNB10	-1	-1	-1	-1		00000	10	0	0
DBBG	0	DSNATX02	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1	0	00000	10	0	0
DBBG	0	DSNATX03	SYSIBM	0	0	E	00000001	00000001	-1	-1	-1	-1	0	00000	10	0	0

Connected as: P392F, file: XX40T#25

Lines: 2617



# DB2 - Job/Pgm/Table Selection



# DB2 - Job/Pgm/Table Selection

The screenshot displays the XINFO PC Client interface. The main window has a menu bar with 'File', 'Home', 'Table', 'Netplan', 'Barchart', 'Chart', 'Script', and 'View'. Below the menu is a toolbar with icons for 'Copy', 'Select All', 'Toggle Selection', 'Edit', 'Customize', 'Group', 'Show SQL', and 'Table Layout'. The 'Workspace Tree' on the left lists various system categories like 'Cat: SYSTABLES', 'Cat: SYSCOLUMNS', etc., with 'Job/Pgm/Table' highlighted. A dialog box titled 'DB2 - Job/Pgm/Table' is open, showing search criteria for Jobname, Subsystem, Utility/Pgm, Access, Database, Tablespace, Creator, Table Name, Alias Name, JCL-Lib, and Member. The 'Table Name' field is highlighted with a red box and contains the text 'XXR\*'. A callout bubble points to this field with the text 'Search for all Tables with xxr\*'. At the bottom of the dialog are 'OK', 'Actions', and 'Cancel' buttons. The status bar at the bottom of the client shows 'Connected as: P392F, file: XX40T#25'.



# DB2 - Job/Pgm/Table Results

XINFO PC Client - DB2 - Job/Pgm/Table

File Home Table Netplan Barchart Chart Script View Style

DB2 - Job/Pgm/Table

Jobname	SubS	Utility/Pgm	Access	Creator	Table Name	Alias Name	Database	TabSpace	JCL-Lib	Member
<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>	<all>
ITCJDEL	DBBG	REORG TABLESPACE	UPDATE	XINFO36	XXRTITC		DXINFO36	XXRSITC	SYSH.TXGC.JOBLIB	ITCJDEL
ITCJSMFB	DBBG	LOAD	UPDATE	XINFO36	XXRTITB		DXINFO36	XXRSITB	SYSH.TXGC.JOBLIB	ITCJSMFB
ITCJVWTG	DBBG	DSNTIAUL	SELECT	XINFO36	XXRTITC		DXINFO36	XXRSITC	SYSH.TXGC.JOBLIB	ITCJVWTG
ITCJVWTG	DBBG	LOAD	UPDATE	XINFO36	XXRTITC		DXINFO36	XXRSITC	SYSH.TXGC.JOBLIB	ITCJVWTG
ITCJVWTG	DSN1	DSNTIAUL	SELECT	XXR34	XXRTITC		?	?	SYSH.TXGC.JOBLIB	ITOJVWTG
ITCJSMFB	DBBG	LOAD	UPDATE	XXR35	XXRTITB		?	?	SYSH.TXGC.JOBLIB	I35JSMFB
ITCJVWTG	DB9G	DSNTIAUL	SELECT	XXR35	XXRTITC		?	?	SYSH.TXGC.JOBLIB	I35JVWTG
ITCJVWTG	DBBG	LOAD	UPDATE	XXR35	XXRTITC		?	?	SYSH.TXGC.JOBLIB	I35JVWTG
I36JDEL	DBBG	REORG TABLESPACE	UPDATE	XINFO36	XXRTITC		DXINFO36	XXRSITC	SYSH.TXGC.JOBLIB	I36JDEL
I36JSMFB	DBBG	LOAD	UPDATE	XINFO36	XXRTITB		DXINFO36	XXRSITB	SYSH.TXGC.JOBLIB	I36JSMFB
I36JVWTG	DB9G	DSNTIAUL	SELECT	XINFO36	XXRTITC		?	?	SYSH.TXGC.JOBLIB	I36JVWTG
I36JVWTG	DBBG	LOAD	UPDATE	XINFO36	XXRTITC		DXINFO36	XXRSITC	SYSH.TXGC.JOBLIB	I36JVWTG
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTAS0		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTAS1		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTAS2		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTAS3		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTAS4		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTAS5		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTBJG		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTBJ1		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTBJ2		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTBJ3		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTBJ4		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTBJ5		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJDBC2	DB9G	DSNTEP2	CREATE	XINFO36	XXRTBJ6		?	?	SYSH.TXGC.JOBLIB	XXRJDBC2

Connected as: P392F, file: XX40T#25

Lines: 5000


# DB2 - Job/Pgm/Table Results

The screenshot displays the IBM DB2 Job/Pgm/Table Results window. The main window is titled "DB2 - Job/Pgm/Table" and shows a list of jobs in a table. The job "ITCJDEL" is selected. A "Details" dialog box is open, showing the following information:

Name	Value
Jobname	ITCJDEL
Subsystem	DBBG
Utility/Pgm	REORG TABLESPACE
Access	UPDATE
Creator	XINFO36
Table Name	XXRTITC
Alias Name	
Database	DXINFO36
Tablespace	XXRSITC
JCL-Lib	SYSH.TXGC.JOBLIB
Member	ITCJDEL

The "Details" dialog box has buttons for "OK", "Copy", "Print...", and "Save As...". The status bar at the bottom of the dialog shows "Lines: 5000".

# DB2 - Job/Pgm/Plan Selection



Select Job/Pgm/Plan

# DB2 - Job/Pgm/Plan Results

XINFO PC Client - DB2 - Job/Pgm/Plan

File Home Table Netplan Barchart Chart Script View Style

DB2 - Job/Pgm/Plan

Jobname	SNr	SubS	Program	Plan	JCL-Lib	Member
<all>	<all>	<all>	<all>	<all>	<all>	<all>
DB2C	2	DBBG	DSN8BD3	DSN8BD91	SYSH.TXGC.JOBLIB	DB2C
DB2COB2	2	DBBG	DSN8BC3	DSN8BH91	SYSH.TXGC.JOBLIB	DB2COB2
DB2COB2#	1	DBBG	DSN8BC3	DSN8BH91	SYSH.TXGC.JOBLIB	DB2COB2#
DB2COB2T	2	DBBG	DSN8BC3	DSN8BH91	SYSH.TXGC.JOBLIB	DB2COB2T
DB2PL11	2	DBBG	DSNTEP2	DSNTEP11	SYSH.TXGC.JOBLIB	DB2PL11
DB2PL12	2	DBBG	DSN8BP3	DSN8BP91	SYSH.TXGC.JOBLIB	DB2PL12
FORM29DM	3	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	FORM29QM
FORM29DM	6	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	FORM29QM
FORM29DM	9	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	FORM29QM
FORM29DM	12	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	FORM29QM
FORM29DM	15	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	FORM29QM
ITCJVWTG	4	DBBG	DSNTIAUL	DSNTIB11	SYSH.TXGC.JOBLIB	ITCJVWTG
ITCJVWTG	4	DSN1	DSNTIAUL	DSNTIB61	SYSH.TXGC.JOBLIB	ITOJVWTG
ITCJVWTG	4	DB9G	DSNTIAUL	DSNTIB91	SYSH.TXGC.JOBLIB	I35JVWTG
I36JVWTG	4	DB9G	DSNTIAUL	DSNTIB91	SYSH.TXGC.JOBLIB	I36JVWTG
PMADMIN	2	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	PMADMIN
PMADMIN	3	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	PMADMIN
PMNJFRMC	3	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	PMNJFRMC
XXRJBND	1	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	XXRJBND
XXRJBND	1	DB9G	DSNTIAD	DSNTIA91	SYSH.TXGC.JOBLIB	XXRJBND
XXRJDBC0	1	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	XXRJDBC0
XXRJDBC0	2	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	XXRJDBC0
XXRJDBC2	1	DB9G	DSNTEP2	DSNTEP91	SYSH.TXGC.JOBLIB	XXRJDBC2
XXRJD2	2	DBBG	XXRCPTS	XXRCPT36	SYSH.TXGC.JOBLIB	XXRJD2
XXR.ID201	2	DBBG	XXRCPTS	XXRCPT36	SYSH.TXGC.JOBLIB	XXR.ID201

Connected as: P392F, file: XX40T#25

Lines: 56

# DB2 - Job/Pgm/Plan Results


The screenshot displays the IBM DB2 Job/Pgm/Plan Results interface. The main window shows a list of jobs in the 'Workspace Tree' on the left, with 'DB2COB2' selected. The 'Details' window on the right provides information for the selected job.

Name	Value
Jobname	DB2COB2
Stepnumber	2
Subsystem	DBBG
Programname	DSN8BC3
Plan	DSN8BH91
JCL-Lib	SYSH.TXGC.JOBLIB
Member	DB2COB2

Connected as: P392F, file: XX40T#25

Lines: 56

# DB2 - Scheduler Resources Line Command



The screenshot shows the XINFO PC Client interface for DB2. The 'Workspace Tree' on the left lists various jobs and programs, including DB2C and DB2COB2. A right-click context menu is open over the 'Special Resources' option, which is highlighted. A blue callout box with white text points to the menu and contains the text: "Right mouse click: The scheduler's resource definition can be checked ...".

Connected as: P392F, file: XX40T#25 Lines: 56

# DB2 - Scheduler Ressources Result

The screenshot displays the XINFO PC Client interface for 'TWS z/OS - Special Resources'. The main window shows a table of resources used in job DB2COB2. A callout box highlights the resource 'DSN1-ACTIVE' used by job 'DB2COB2'.

Application ID	Jobname	WSID	ON	Special Resource	T	Amount	K	S	Valid To	OnCompl	SubS
XINFODB2DEMO	DB2COB2	CPU	010	DSN1-ACTIVE	S	0		A	31.12.2071		TXGC

Connected as: P392F, file: XX40T#25

Lines: 1

The resources which are used in  
job DB2COB2

Thanks for your attention! Do you have any questions?

The logo for 'HORIZONT' features the word in a bold, sans-serif font. The letter 'O' is highlighted in red, while the other letters are in dark grey. The background is light grey with a large red curved shape on the left and several faint, semi-transparent geometric shapes (squares and a triangle) scattered around the text.

**H**O R I Z O N T

Please feel free to visit us in Munich or send an email to  
**[info@horizont-it.com](mailto:info@horizont-it.com)**